

DEPARTMENT OF TRANSPORTATION

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30th Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

www.dot.ca.gov/hq/esc/oe



*Serious Drought.
Help save water!*

May 26, 2015

03-1A8434

Project ID 0300000224

ACSTP-P089(112)

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN EL DORADO COUNTY NEAR SOUTH LAKE TAHOE FROM CASCADE ROAD TO UPPER EMERALD BAY ROAD.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Tuesday, June 30, 2015.

This addendum is being issued to revise the Project Plans, the *Notice to Bidders and Special Provisions*, the *Bid book*, and the *Information Handout*.

In the *Notice to Bidders*, the following paragraph is added after the ninth paragraph:

"For the Federal training program, the number of trainees or apprentices is 1."

In the *Notice to Bidders*, the third paragraph is replaced as follows:

"General work description: Cold Plane AC pavement, Hot Mix Asphalt Concrete and Culvert."

In the Contract Plans, on sheet 129, within the table entitled "CRACK TREATMENT", in the "LENGTH" column, delete the "(N)" and place a "(N)" in the box entitled "LF".

03-1A8434
Project ID 0300000224
ACSTP-P089(112)

In the Special Provisions, Section 1-1.01, the following lines in the table entitled "Bid Items and Applicable Sections," are added as follows:

"

027919	IMPORTED TOPSOIL (MODIFIED)	19
027920	BONDED FIBER MATRIX (TYPE 1)	21
027921	BONDED FIBER MATRIX (TYPE 2)	21
027922	ROLLED EROSION CONTROL PRODUCT (TURF REINFORCEMENT MAT) TYPE D	21
027923	COMPOST (TYPE 1)	21
027924	COMPOST (TYPE 2)	21
027925	CORING	21
027926	CONCRETE STAIN	59
027927	CLASS 4 PERMEABLE MATERIAL	68
027928	FILTER FABRIC	72
027929	8" THERMOPLASTIC TRAFFIC STRIPE (RECESSED)	84
027930	THERMOPLASTIC PAVEMENT MARKING (RECESSED)	84
027931	4" THERMOPLASTIC TRAFFIC STRIPE (RECESSED, BROKEN 12- 3)	84

"

In the Special Provisions, Section 2-1.06B, the following entry in the table entitled "Supplemental Project Information," is added as follows:

"

	APPLICATION AND PERMIT FOR TEMPORARY OCCUPANCY OF NEVADA DEPARTMENT OF TRANSPORTATION RIGHT-OF- WAY
--	---

"

*"Provide a safe, sustainable, integrated and efficient transportation system
to enhance California's economy and livability"*

Addendum No. 1
Page 3
May 26, 2015

03-1A8434
Project ID 0300000224
ACSTP-P089(112)

The *Information Handout* "APPLICATION AND PERMIT FOR TEMPORARY OCCUPANCY OF NEVADA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY" is added as attached.

In the Special Provisions, Section 12-3.12C, the following paragraph is added after the second paragraph:

"Also, place portable changeable message signs as shown on the Traffic Motorist Information Plan quantities sheet."

In the Special Provisions, Section 12-4.02, the following paragraph is deleted.

"A minimum of 1 paved traffic lane not less than 11 feet wide must be open for use by traffic in each direction of travel."

In the Special Provisions, Section 12-4.04, "Lane Closure Restriction for Designated Holiday and Special Days," is replaced as attached.

In the Special Provisions, Section 12-4.05F, "Conventional Highway Lane Requirements," Chart No. 1 and 2 are replaced as attached.

In the Special Provisions, Section 12-4.05G, "Complete Conventional Highway Closure Hours," Chart No. 3 is added as attached.

In the Special Provisions, Section 19-9.02 is deleted.

In the Special Provisions, Section 83-1.02C(2), Alternative In-Line Terminal System," the item 2 of paragraph 2, paragraph 5 and paragraph 7 is deleted.

Addendum No. 1
Page 4
May 26, 2015

03-1A8434
Project ID 0300000224
ACSTP-P089(112)

In the *Bid* book, in the "Bid Item List," Items 53, 54, 55, 58, 60, 61, 63, 75, 80, 90, 103, 104 and 105 are replaced.

To *Bid* book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the *Notice to Bidders* section of the *Notice to Bidders and Special Provisions*.

Submit the *Bid* book as described in the *Electronic Bidding Guide* at the Bidders' Exchange website.

http://www.dot.ca.gov/hq/esc/oe/electronic_bidding/electronic_bidding.html

Inform subcontractors and suppliers as necessary.

This addendum, EBS addendum file and attachments are available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/03/03-1A8434

If you are not a *Bid* book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,


AMARJEET BENIPAL
District Director

Attachments

Replace "Reserved" in section 12-4.04 with:

Lane Closure Restriction for Designated Holidays and Special Days										
Thu	Fri	Sat	Sun	Mon	Tues	Wed	Thu	Fri	Sat	Sun
x	H xx	xx	xx							
	SD xx									
x	xx	H xx	xx							
		SD xx								
	x	xx	H xx	xx						
			SD xx							
	x	xx	xx	H xx	xxx					
	x	xx	xx	SD xx	xxx					
				x	H xx					
				x	SD xx					
					x	H xx				
						SD xx				
						x	H xx	xx	xx	xx
							SD xx			

Legend:	
	Refer to lane requirement charts
x	The full width of the traveled way must be open for use by traffic after 1100 hours.
xx	The full width of the traveled way must be open for use by traffic.
xxx	The full width of the traveled way must be open for use by traffic until 1900 hours.
H	Designated holiday
SD	Special day

Replace "Reserved" in section 12-4.05F with:

Chart no. 1 Conventional Highway Lane Requirements																											
County: El Dorado														Route/Direction: SR 89 NB/SB								PM:13.8/18.0					
Closure limits: PM 13.8/18.0																											
Hour	24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24		
Mon-Thu	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R		
Fri	R	R	R	R	R	R	R	R	R	R	R												R	R	R		
Sat	R	R	R	R	R	R																					
Sun	R	R	R	R	R	R																R	R	R	R		

Legend:

R

Provide at least 1 through traffic lane, not less than 11 feet in width, for use by both directions of travel

(Reversing Control)

Work allowed within the highway where shoulder or lane closure is not required

REMARKS: This chart is for work during the off-peak season between Labor Day and Memorial Day.

Chart no. 2 Conventional Highway Lane Requirements																									
County: El Dorado								Route/Direction: SR 89 NB/SB								PM:13.8/18.0									
Closure limits: PM 13.8/18.0																									
Hour	24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Mon-Thu	R	R	R	R	R	R	R	R	R	R	R	R									R	R	R	R	
Fri	R	R	R	R	R	R	R	R	R	R	R	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Sat	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Sun	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	R	R	R	
Legend:																									
R	Provide at least 1 through traffic lane, not less than 11 feet in width, for use by both directions of travel (Reversing Control)																								
N	No work allowed																								
	Work allowed within the highway where shoulder or lane closure is not required																								
REMARKS: This chart is for work during the peak season between Memorial Day and Labor Day.																									

CONTRACT NO. 03-1A8434
REPLACED PER ADDENDUM NO. 1 DATED MAY 26, 2015

Replace "Reserved" in section 12-4.05G with:

Chart no. 3 Complete Conventional Highway Closure Hours																									
County: El Dorado										Route/Direction: SR 89 NB/SB										PM: 14.8-16.3					
Closure limits: 14.8-16.3																									
Hour	24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Mon-Thu	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C					C	C	C	C	
Fri	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C									
Sat																									
Sun																					C	C	C	C	

Legend:

C Conventional highway may be closed completely

No complete conventional highway closure is allowed

REMARKS:

- This chart is to be used for Cold Planning, HMA Paving and Drainage Work only.
- The complete closure is allowed as shown in this chart for maximum of two weeks only during the off peak season (Labor Day to Memorial Day) with 5 consecutive days in each week.
- A detour shall be in effect to reroute traffic, see detour plan /motorist Information plan sheets for details.

BID ITEM LIST
03-1A8434

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
41	150821	REMOVE HEADWALL	EA	2		
42	152320	RESET ROADSIDE SIGN	EA	42		
43	153103	COLD PLANE ASPHALT CONCRETE PAVEMENT	SQYD	63,300		
44	153121	REMOVE CONCRETE (CY)	CY	0.1		
45	155213	CLEANING, INSPECTING, AND PREPARING CULVERT (LF)	LF	450		
46	155232	SAND BACKFILL	CY	5		
47	155314	18" CURED-IN-PLACE PIPELINER	LF	370		
48	155316	24" CURED-IN-PLACE PIPELINER	LF	80		
49	160102	CLEARING AND GRUBBING (LS)	LS	LUMP SUM	LUMP SUM	
50	190101	ROADWAY EXCAVATION	CY	2,040		
51	194001	DITCH EXCAVATION	CY	19		
52	210010	MOVE-IN/MOVE-OUT (EROSION CONTROL)	EA	3		
53	027919	IMPORTED TOPSOIL (MODIFIED)	CY	420		
54	027920	BONDED FIBER MATRIX (TYPE 1)	SQFT	255,000		
55	027921	BONDED FIBER MATRIX (TYPE 2)	SQFT	7,070		
56	210270	ROLLED EROSION CONTROL PRODUCT (NETTING)	SQFT	34,400		
57	210290	ROLLED EROSION CONTROL PRODUCT (TRM)	SQFT	44,300		
58	027922	ROLLED EROSION CONTROL PRODUCT (TURF REINFORCEMENT MAT) TYPE D	SQFT	16,400		
59	210420	STRAW	SQFT	34,400		
60	027923	COMPOST (TYPE 1)	SQFT	790		

BID ITEM LIST
03-1A8434

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
61	027924	COMPOST (TYPE 2)	SQFT	140		
62	210630	INCORPORATE MATERIALS	SQFT	52,400		
63	027925	CORING	EA	4,760		
64	260203	CLASS 2 AGGREGATE BASE (CY)	CY	700		
65	374207	CRACK TREATMENT	LNMI	8		
66	390095	REPLACE ASPHALT CONCRETE SURFACING	CY	740		
67	390132	HOT MIX ASPHALT (TYPE A)	TON	9,000		
68	394060	DATA CORE	LS	LUMP SUM	LUMP SUM	
69	394090	PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)	SQYD	30		
70	397005	TACK COAT	TON	19		
71 (F)	510502	MINOR CONCRETE (MINOR STRUCTURE)	CY	17		
72	560248	FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)	SQFT	120		
73	566011	ROADSIDE SIGN - ONE POST	EA	11		
74	591200	ROCK STAIN	SQFT	8,870		
75	027926	CONCRETE STAIN	SQFT	10,400		
76	620100	18" ALTERNATIVE PIPE CULVERT	LF	740		
77	620140	24" ALTERNATIVE PIPE CULVERT	LF	84		
78 (F)	620800	CONCRETE BACKFILL (PIPE TRENCH)	CY	8		
79	667030	49" X 33" CORRUGATED STEEL PIPE ARCH (.138" THICK)	LF	55		
80	027927	CLASS 4 PERMEABLE MATERIAL (CY)	CY	210		

BID ITEM LIST

03-1A8434

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
81	700617	DRAINAGE INLET MARKER	EA	21		
82	700641	36" CORRUGATED STEEL PIPE INLET (.168" THICK)	LF	140		
83	705311	18" ALTERNATIVE FLARED END SECTION	EA	16		
84	705386	49" X 33" ALTERNATIVE FLARED END PIPE ARCH SECTION	EA	2		
85 (F)	721017	ROCK SLOPE PROTECTION (FACING, METHOD B) (CY)	CY	370		
86 (F)	721019	ROCK SLOPE PROTECTION (NO. 3, METHOD B) (CY)	CY	78		
87	721420	CONCRETE (DITCH LINING)	CY	50		
88 (F)	721512	CONCRETED-ROCK SLOPE PROTECTION (FACING, METHOD A) (CY)	CY	201		
89	729011	ROCK SLOPE PROTECTION FABRIC (CLASS 8)	SQYD	2,110		
90	027928	FILTER FABRIC	SQYD	220		
91	730020	MINOR CONCRETE (CURB) (CY)	CY	160		
92	731502	MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION)	CY	7		
93 (F)	750001	MISCELLANEOUS IRON AND STEEL	LB	7,380		
94	820108	DELINEATOR (CLASS 2)	EA	290		
95	820112	MARKER (CULVERT)	EA	49		
96	820151	OBJECT MARKER (TYPE L-1)	EA	9		
97	832012	METAL BEAM GUARD RAILING (7' WOOD POST)	LF	3,580		
98	832070	VEGETATION CONTROL (MINOR CONCRETE)	SQYD	310		
99	839541	TRANSITION RAILING (TYPE WB)	EA	2		
100	839543	TRANSITION RAILING (TYPE WB-31)	EA	4		

BID ITEM LIST
03-1A8434

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
101	839584	ALTERNATIVE IN-LINE TERMINAL SYSTEM	EA	4		
102	839585	ALTERNATIVE FLARED TERMINAL SYSTEM	EA	8		
103	027929	8" THERMOPLASTIC TRAFFIC STRIPE (RECESSED)	LF	150		
104	027930	THERMOPLASTIC PAVEMENT MARKING (RECESSED)	SQFT	150		
105	027931	4" THERMOPLASTIC TRAFFIC STRIPE (RECESSED, BROKEN 12-3)	LF	650		
106	840581	4" THERMOPLASTIC TRAFFIC STRIPE (RECESSED)	LF	77,800		
107	840582	4" TWO-COMPONENT PAINT TRAFFIC STRIPE	LF	11,200		
108	840661	TWO-COMPONENT PAINT PAVEMENT MARKING	SQFT	140		
109	999990	MOBILIZATION	LS	LUMP SUM	LUMP SUM	

TOTAL BID:

\$
